Danger Keep out of reach of children

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

INDUSTRIAL / INSTITUTIONAL / COMMERCIAL USE

CYCCO 250EC EMULSIFIABLE CONCENTRATE

ACTIVE INGREDIENT: 25% w/w CYPERMETHRIN IN THE FORM OF AN EMULSIFIABLE CONCENTRATE

FOR RESIDUAL AND CONTACT CONTROL OF COCKROACHES (WATERBUGS), CRICKETS, SILVERFISH (FIREBRATS), CENTIPEDE, MILLIPEDES, EARWIGS, SOWBUGS (PILLBUGS). SPIDERS, ANTS, MOSQUITOES LARVAE, GNATS, SMALL FLYING MOTHS, WASPS, HORNETS, YELLOW JACKET AND BEES

PelGar International Ltd Unit 5, Newman Lane, Alton, Hants. GU34 2QR. United Kingdom Tel: + 44 1420 80744

Batch no:

Manuf. Date:

Expiry. Date:

Distributed by: PESTEX MALDIVES PVT LTD Pestex Building Neelofaru Magu MALE 20131 REP OF MALDIVES

Tel: +96 03338009 / 3336878

UCIDEO



www.pelgar.co.uk



Net

Contents

FOR RESIDUAL PEST CONTROL IN AND ON building and structures and their immediate surroundings and on modes of transport. PERMITTED AREAS OF USE INCLUDE industrial buildings, houses apartment buildings, laboratories, greenhouses, vessels. Rail cars, trucks, trailers, aircraft, schools, nurseries, day camps, bath houses, food handling establishments, packaging and recessing plants, egg process plants, supermarkets, restaurant, bottling plants, canneries, flour and feed mills, bakeries, laboratories and hospitals. IN HOSPITALS: patients should be removed prior to treatment. Also for use in campers, mobile homes, buses, automobiles, boxcars. Also for use in dog kennels and horses stables. IN HORSE STABLES: not for application if horses will be used for food.

CYTROL 250EC insecticide is intended for dilution with water for spray application.

Fill sprayer with the desired volume of water and add **CYTROL 250EC** insecticide. Close and shake before use in order to insure proper mixing. Shake or re-agitate sprayer before use if spraying is interrupted. Make up only as required; repeat treatments when needed.

Pest		Concentration of Active Ingredient	Dilution Rate	Application Rate
Ants Cartipedes Cockroaches (Maintenance) Crickets Firebrats Earwigs	Millipedes Pillbugs Silverlish Gnats	0.25%	1:100 (50ml in 5 litres)	5 L / 150m²
Bees Cockroaches (Clean-out) Spiders	Hornets Yellow Jackets Wasps Small Flying Moths	0.5%	1:50 (100ml in 5 litres)	5 L / 100m²
Mosquitoes Larviciding		0.125%	1:200	10ml / m ²

Storage Recommendations

Store at a temperature not exceeding 35 degree C in the original container, tightly closed in a safe place. Keep out of reach of children. Diluted insecticide should never be stored, fresh dilution should never be stored, a fresh dilution should be prepared as necessary.

IF SWALLOWED: Do not induce vomiting. Do not give anything by mouth to an unconscious person.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration preferably mouth to mouth. Get medical attention.

NOTE TO PHYSICIAN: Induce vomiting as first aid for this substance may result in increase risk of chemical pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent. Vomiting should be induced only under professional supervision.

Precautionary Statements

Hazards to Humans & Domestic Animals

Causes substantial but temporary eye injury. Causes skin irritation. Do not get in eyes, on skin or on clothing. Cover foodstuffs, do not spray directly on food. Wear safety goggles, face shield, protective gloves and clothing when handling the product. Harmful if swallowed, absorbed through skin or inhaled. Avoid breathing spray. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Environmental Hazards

This product is extremely toxic to fish. Do not contaminate water when disposing of equipment wash waters. Do not apply directly to any body of water, or any areas where surface water is present or to inter tidal areas below the mean high water mark. Apply this product only as specified on this label. Care should be used when spraying to avoid fish and reptile pets by removing pets and covering fish tanks before spraying.

Physical Or Chemical Hazards

Do not use or store near heat or open flames. Flash Point 140°F. Do not apply this diluted product in conduits, motor housings, junction and switch boxes or other electrical equipment because of the possible shock hazard. Do not use on surfaces that can be harmful or stained by water.

INDOOR

Cockroaches, spiders, crickets, silverfish and firebrats: Apply as a coarse, low pressure spray to areas where these pests hide, such as base boards, corners, storage areas, closets, around water pipes, doors, windows, attics and eaves, behind and under refrigeration cabinets, sinks, furnaces and stoves, the underside of shelves, drawers and similar areas. Pay attention to cracks and crevices. ANTS: To kill within buildings and homes, spray trail, nests and point of entry.

Spray directly on ants where possible. Repeat as necessary.

CARPENTER ANT: Make spot application as a spray to any trail, around doors and windows, well voids, crawl space and other places where ants enter premises. Where possible, treat the ants nest or infested wood directly. Repeat application as necessary. Do not allow children or pets to contact treated surfaces until the spray has dried.

WASPS, HORNET, YELLOW JACKETS, BEES: Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, especially under attic rafters contacting as many insects as possible. Repeat application as necessary.

SOWBUGS, PILLBÜGS, MILLIPEDES, EARWIGS & CENTIPEDES : Apply around doors and windows and other places where these pests may be found or where they enter the premises. Spray baseboard, storage areas and other locations. Refer to barrier treatment direction to prevent re-infestation.

GNATS, SMALL FLYING MOTHS: Apply directly to walls, ceiling, window screen and other flying insects resting area as in and around car park, garages and storage sheds.

OUTDOORS

Do not apply this product to edible crop.

ANTS, CARFENTER ANT, WASPS, HORNET, YELLOW JACKETS, BEES, SOWBUGS, PILLBUGS, MILLIPEDES, EARWIGS, CENTIPEDES, MOSQUITO LARVAE, GNATS, SMALL FLYING MOTHS AND COCKROACHES.

Apply as a residual spray to surface of building, porches, screens, window frames, eaves, patios, lawns, refuse dump, garages in either hand or power sprayer. Treat other areas where these pests are found.

BARRIER TREATMENT : To help prevent infestation of a building, apply to a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building. Also treat the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Apply as a coarse spray to thoroughly and uniformly wet the band area using 1 gallon of spray mix per 400 square feet. Notice : Buyer assumes all responsibility for safety and use which not using in accordance with directions.

DISPOSAL STATEMENT

Do not re-use container, triple rinse and contact licensed industrial waste collector for proper disposal.