



International

SAFETY DATA SHEET

Page 1 of 5

Roban Rodenticide Blocks

Revision 2

Revision date 08-Jan-2015

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name Roban Rodenticide Blocks
Company PelGar International Ltd
Level 22
69 Ann Street
Brisbane
QLD
4000
AUSTRALIA
garry@pelgar.co.uk
Telephone Tel +61 7 3112 1024
Fax Fax +61 7 3112 5101
Emergency telephone number Tel +44 (0) 1420 80744

Intended use Ready for use rodenticide containing 50 ppm difenacoum.

2 HAZARDS IDENTIFICATION.

Main hazards The preparation is non-dangerous in accordance with Directive 1999/45/EC. Unlikely to cause harmful effects under normal conditions of handling and use. Harmful to Wildlife. Wild mammals and birds may be at greater risk if the product is not used in accordance with its label.

3 . COMPOSITION / INFORMATION ON INGREDIENTS.

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Difenacoum	0.005%	56073-07-5	259-978-4	T+; R28 T; R48/25 N; R50/53
Denatonium benzoate	0.001%	3734-33-6	223-095-2	Xn;R20 Xn;R22 Xi;R37 Xi;R38 Xi;R41 R52/53
propane-1,2-diol (Propane-1,2-diol particulates)	1-10%	57-55-6	200-338-0	
Sugar (Sucrose)	1-10%	57-50-1		
Paraffin Wax	30-40%	8002-74-2	232-315-6	
1,2-Benzisothiazolin-3-one	<0.02%	2634-33-5	220-120-9	Xn; R22 Xi; R38-41 R43 N; R50

Print date 08-Jan-2015

Roban Rodenticide Blocks

Revision 2
Revision date 08-Jan-2015

4. FIRST AID MEASURES

Skin contact	May cause skin irritation in susceptible persons. Remove contaminated clothing. Wash off immediately with plenty of soap and water. If irritation persists obtain medical attention. Contaminated clothing should be washed and dried before re-use.
Eye contact	May cause eye irritation of susceptible persons. Rinse immediately with plenty of water and seek medical advice if irritation persists.
Inhalation	Unlikely to present an inhalation hazard unless excessive dust is present. Move the exposed person to fresh air. Obtain medical advice immediately.
Ingestion	If swallowed, seek medical advice immediately and show this container or label.
General information	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). ADVICE FOR DOCTORS: Difenacoum is an indirect anti-coagulant. Phytomenadione, Vitamin K1, is antidotal. Determine prothrombin time not less than 18 hours after consumption. If elevated, administer Vitamin K1 until prothrombin time normalises. Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time.

5. FIRE FIGHTING MEASURES

Extinguishing media	Keep fire exposed containers cool by spraying with water if exposed to fire. Carbon dioxide (CO ₂) Alcohol resistant foam. Dry chemical. Use extinguishing media appropriate to the surrounding fire conditions. Do NOT use ... Do not use water jets.
Protective equipment	In the event of fire. Wear: Self-contained breathing apparatus. Suitable gloves and boots.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Wear suitable protective clothing, gloves and eye/face protection. See section 8.
Environmental precautions	Prevent further leakage or spillage, if safe to do so.
Clean up methods	Clean up promptly by sweeping or vacuum. Transfer to a suitably labelled container. Subsequently, wash the contaminated area with water, taking care to prevent the washings entering sewers or drains.

7. HANDLING AND STORAGE

Handling	Avoid contact with eyes and skin. Avoid formation of dust. Do not smoke eat or drink while handling this product . Always use good personal hygiene procedures when handling chemicals. Wash hands and face before eating, drinking or smoking. Read the label before use. Unlikely to produce dust as the product is a wax block.
Storage	Keep in a cool, dry, well ventilated area. Keep out of the reach of children. Keep away from food and animal feedstuffs. Keep away from oxidising agents.
Specific use	Ready for use rodenticide containing 50 ppm difenacoum.

Roban Rodenticide Blocks

Revision 2
Revision date 08-Jan-2015

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

propane-1,2-diol (Propane-1,2-diol particulates)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: -
propane-1,2-diol (Propane-1,2-diol total vapour and particulates)	WEL 8-hr limit ppm: 150 WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 474 WEL 15 min limit mg/m3: -
Sugar (Sucrose)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: 20
Paraffin Wax	WEL 8-hr limit ppm: WEL 15 min limit ppm:	WEL 8-hr limit mg/m3: 2 WEL 15 min limit mg/m3: 6
Paraffin Wax (Paraffin wax, fume)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 2 WEL 15 min limit mg/m3: 6

Respiratory protection	Unlikely to present an inhalation hazard unless excessive dust is present. If levels approach the WEL, then suitable approved respiratory protection should be worn.
Hand protection	Impervious gloves.
Eye protection	Tight fitting goggles if exposed to excessive dust.
Protective equipment	Impervious clothing. Boots.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description	Wax Block.
Colour	Blue
Odour	Slight.
Flammability limits	Combustible
Relative density	Not available
Melting point	~ 60 (for the wax)°C

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
Conditions to avoid	Heat, sparks and open flames.
Materials to avoid	Oxidising agents.
Hazardous decomposition products	Combustion or thermal decomposition will produce toxic and irritant fumes.

Roban Rodenticide Blocks

Revision 2
Revision date 08-Jan-2015

11. TOXICOLOGICAL INFORMATION

Toxicological information

Difenacoum	Dermal Rat LD50 = 51.5 - 63 mg/kg Oral Rat LD50 = 1.8 mg/kg Inhalation Rat LC50/4 h = 16.27-20.74 µg/l
propane-1,2-diol	Oral Rat LD50 = >2000 mg.kg
Acute toxicity	ORL RAT LD50 approx. 30 g/kg (calculated).
Corrosivity	No irritation expected.
Sensitization	Grain Dust and flour dust are respiratory sensitizers causing asthma. As the product is a wax block, it is unlikely to cause any problems.
Mutagenic effects	No evidence to suggest anticoagulant rodenticides are mutagenic.
Carcinogenic effects	No evidence to suggest anticoagulant rodenticides are carcinogenic.

12. ECOLOGICAL INFORMATION

Ecotoxicity	As the product contains 50ppm difenacoum , unlikely to be hazardous to aquatic life.
Difenacoum	Algae EC50/72h = 0.51mg/l Daphnia LC50/48h = 0.91 mg/l Rainbow trout LC50/96h = 0.33 mg/l
propane-1,2-diol	Daphnia EC50/48h = > 100 mg/l mg/l Fish LC50/96h = 100 mg/l mg/l
Further information	Harmful to wildlife. Read all precautions before use.

13. DISPOSAL CONSIDERATIONS

General information	Dispose of in compliance with all local and national regulations.
Disposal of packaging	Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

14. TRANSPORT INFORMATION

Further information	Not classified as dangerous for transport.
---------------------	--

15. REGULATORY INFORMATION

Labelling	The product is classified as non hazardous.
Safety phrases	To avoid risks to man and the environment, comply with the instructions for use. P14 - Safety data sheet available for professional user on request. S1/2 - Keep locked up and out of the reach of children. S13 - Keep away from food, drink and animal feedingstuffs. S20/21 - When using do not eat, drink or smoke. S37 - Wear suitable gloves. S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Roban Rodenticide Blocks

Revision 2
Revision date 08-Jan-2015

16. OTHER INFORMATION

Text of risk phrases in Section 3.	R20 - Harmful by inhalation. R22 - Harmful if swallowed. R28 - Very toxic if swallowed. R37 - Irritating to respiratory system. R38 - Irritating to skin. R41 - Risk of serious damage to eyes. R43 - May cause sensitisation by skin contact. R48/25 - Toxic: danger of serious damage to health by prolonged exposure if swallowed. R50 - Very toxic to aquatic organisms. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Restricted use	Ready for use rodenticide containing 50 ppm difenacoum.
Data sources	Raw material suppliers Safety Data Sheets. CHIP 2009 EH40